## 38 CFR Ch. I (7-1-19 Edition)

Note—The 100 percent evaluation shall be assigned as of the date of hospital admission for transplant surgery and shall continue with a mandatory VA examination one year following hospital discharge. Any change in evaluation based upon that or any subsequent examination shall be subject to the provisions of § 3.105(e) of this chapter.

Rating

7532 Renal tubular disorders (such as renal glycosurias, aminoacidurias, renal tubular acidosis, Fanconi's syndrome, Bartter's syndrome, related disorders of Henle's loop and proximal or distal nephron function, etc.):

Minimum rating for symptomatic condi-

Or rate as renal dysfunction.

7533 Cystic diseases of the kidneys (polycystic disease, uremic medullary cystic disease, Medullary sponge kidney, and similar conditions):

Rate as renal dysfunction.

7534 Atherosclerotic renal disease (renal artery stenosis or atheroembolic renal disease):

Rate as renal dysfunction.

7535 Toxic nephropathy (antibotics, radiocontrast agents, nonsteroidal anti-inflammatory agents, heavy metals, and similar agents):

Rate as renal dysfunction.

7536 Glomerulonephritis:

Rate as renal dysfunction.

7537 Interstitial nephritis:

Rate as renal dysfunction.

7538 Papillary necrosis:

Rate as renal dysfunction.

7539 Renal amyloid disease:

Rate as renal dysfunction.
7540 Disseminated intravascular coagulation with renal cortical necrosis:

Rate as renal dysfunction.

7541 Renal involvement in diabetes mellitus, sickle cell anemia, systemic lupus erythematosus, vasculitis, or other systemic disease processes.

Rate as renal dysfunction.

7542 Neurogenic bladder:

Rate as voiding dysfunction.

[59 FR 2527, Jan. 18, 1994; 59 FR 14567, Mar. 29, 1994, as amended at 59 FR 46339, Sept. 8, 1994]

GYNECOLOGICAL CONDITIONS AND DISORDERS OF THE BREAST

## § 4.116 Schedule of ratings—gynecological conditions and disorders of the breast.

		Rating
7611 7612 7613 7614	Uterus, disease, injury, or adhesions of. Fallopian tube, disease, injury, or adhesions ncluding pelvic inflammatory disease (PID)).	Rating
Gener	Ovary, disease, injury, or adhesions of. ral Rating Formula for Disease, Injury, or Ad-	
	ions of Female Reproductive Organs (diag- tic codes 7610 through 7615):	
	Symptoms not controlled by continuous treatment	30
	Symptoms that require continuous treat- ment	10
	Symptoms that do not require continuous treatment	0
	Note: For the purpose of VA disability evaluation, a disease, injury, or adhesions of the ovaries resulting in ovarian dysfunction affecting the menstrual cycle, such as dysmenorrhea and secondary amenorrhea, shall be rated under diagnostic code 7615	
7617 plete	Uterus and both ovaries, removal of, com-	
·	For three months after removal Thereafter	<sup>1</sup> 100 <sup>1</sup> 50
7618	Uterus, removal of, including corpus: For three months after removal Thereafter	<sup>1</sup> 100 <sup>1</sup> 30
7619	Ovary, removal of: For three months after removal	<sup>1</sup> 100
	Thereafter:  Complete removal of both ovaries	1 30
	Removal of one with or without partial removal of the other	10
	Note: In cases of the removal of one ovary as the result of a service-connected injury or disease, with the absence or nonfunctioning of a second ovary unrelated to service, an evaluation of 30 percent will be assigned for the service-connected ovarian loss	
7620	Ovaries, atrophy of both, complete	1 20

 $<sup>^{\</sup>rm 1}\,\mbox{Review}$  for entitlement to special monthly compensation under  $\mbox{\S}\,3.350$  of this chapter.

	Rating		Ratin
621 Complete or incomplete pelvic organ		(4) Wide local excision (including	
prolapse due to injury, disease, or surgical com-		partial mastectomy,	
plications of pregnancy	10	lumpectomy, tylectomy,	
	10		
Note: Pelvic organ prolapse occurs when		, , , , , , , , , , , , , , , , , , ,	
a pelvic organ such as bladder, urethra, uterus, vagina, small bowel, or rectum		quadrantectomy) means re- moval of a portion of the breast	
		tissue	
drops (prolapse) from its normal place in		7627 Malignant neoplasms of gynecological sys-	
the abdomen. Conditions associated with			10
pelvic organ prolapse include: uterine or		tem	10
vaginal vault prolapse, cystocele,		Note: A rating of 100 percent shall con-	
urethrocele, rectocele, enterocele, or any		tinue beyond the cessation of any sur-	
combination thereof. Evaluate pelvic		gical, radiation, antineoplastic chemo-	
organ prolapse under DC 7621. Evaluate		therapy or other therapeutic procedures.	
separately any genitourinary, digestive,		Six months after discontinuance of such	
or skin symptoms under the appropriate		treatment, the appropriate disability rat-	
diagnostic code(s) and combine all eval-		ing shall be determined by mandatory	
uations with the 10 percent evaluation		VA examination. Any change in evalua-	
under DC 7621		tion based upon that or any subsequent	
624 Fistula, rectovaginal:		examination shall be subject to the provi-	
Vaginal fecal leakage at least once a day		sions of §3.105(e) of this chapter. Rate	
requiring wearing of pad	100	chronic residuals to include scars,	
Vaginal fecal leakage four or more times		lymphedema, disfigurement, and/or other	
per week, but less than daily, requiring		impairment of function under the appro-	
wearing of pad	60	priate diagnostic code(s) within the ap-	
Vaginal fecal leakage one to three times		propriate body system	
per week requiring wearing of pad	30	7628 Benign neoplasms of gynecological system.	
Vaginal fecal leakage less than once a		Rate chronic residuals to include scars,	
week	10	lymphedema, disfigurement, and/or other impair-	
Without leakage	0	ment of function under the appropriate diagnostic	
625 Fistula, urethrovaginal:		code(s) within the appropriate body system	
Multiple urethrovaginal fistulae	100	7629 Endometriosis:	
Requiring the use of an appliance or the		Lesions involving bowel or bladder con-	
wearing of absorbent materials which		firmed by laparoscopy, pelvic pain or	
must be changed more than four times		heavy or irregular bleeding not controlled	
per day	60	by treatment, and bowel or bladder	
Requiring the wearing of absorbent mate-		symptoms	;
rials which must be changed two to four		Pelvic pain or heavy or irregular bleeding	
times per day	40	not controlled by treatment	
Requiring the wearing of absorbent mate-		Pelvic pain or heavy or irregular bleeding	
rials which must be changed less than		requiring continuous treatment for control	
two times per day	20	Note: Diagnosis of endometriosis must be	
626 Breast, surgery of:		substantiated by laparoscopy.	
Following radical mastectomy:		7630 Malignant neoplasms of the breast	10
Both	180	Note: A rating of 100 percent shall con-	
One	150	tinue beyond the cessation of any sur-	
Following modified radical mastectomy:		gical, radiation, antineoplastic chemo-	
Both	160	therapy or other therapeutic procedure.	
One	140	Six months after discontinuance of such	
Following simple mastectomy or wide local	70	treatment, the appropriate disability rat-	
excision with significant alteration of size		ing shall be determined by mandatory	
or form:		VA examination. Any change in evalua-	
Both	150	tion based upon that or any subsequent	
One	130	examination shall be subject to the provi-	
Following wide local excision without sig-	.30	sions of §3.105(e) of this chapter. Rate	
nificant alteration of size or form:		chronic residuals according to impair-	
Both or one	0	ment of function due to scars,	
	0	lymphedema, or disfigurement (e.g., limi-	
Note: For VA purposes:		tation of arm, shoulder, and wrist motion,	
(1) Radical mastectomy means		or loss of grip strength, or loss of sensa-	
removal of the entire breast, un-		tion, or residuals from harvesting of mus-	
derlying pectoral muscles, and		cles for reconstructive purposes), and/or	
regional lymph nodes up to the		under diagnostic code 7626	
coracoclavicular ligament		7631 Benign neoplasms of the breast and other	
(2) Modified radical mastectomy		injuries of the breast. Rate chronic residuals ac-	
means removal of the entire		cording to impairment of function due to scars,	
breast and axillary lymph nodes		lymphedema, or disfigurement (e.g., limitation of	
(in continuity with the breast).		arm, shoulder, and wrist motion, or loss of grip	
Pectoral muscles are left intact		strength, or loss of sensation, or residuals from	
(3) Simple (or total) mastectomy		harvesting of muscles for reconstructive pur-	
means removal of all of the		poses), and/or under diagnostic code 7626	
breast tissue, nipple, and a		7632 Female sexual arousal disorder (FSAD)	
small portion of the overlying		700L Terriale Sexual arousal disorder (1 SAD)	
skin, but lymph nodes and mus-	l	<sup>1</sup> Review for entitlement to special monthly comp	ensati

## §4.117

(Authority: 38 U.S.C. 1155)

[60 FR 19855, Apr. 21, 1995, as amended at 67 FR 6874, Feb. 14, 2002; 67 FR 37695, May 30, 2002; 83 FR 15071, Apr. 9, 2018]

THE HEMATOLOGIC AND LYMPHATIC Systems

## §4.117 Schedule of ratings—hemic and lymphatic systems.

	Rating
7702 Agranulocytosis, acquired: Requiring bone marrow transplant; or infections recurring, on average, at least once every six weeks per 12-month period.	100
riod	100
tute reutrophii count (ΑΝΟ) greater trians 500/microliter (μl) but less than 1000/μl; or infections recurring, on average, at least once every three months per 12-month period	60
Requiring intermittent myeloid growth factors to maintain ANC greater than 1000/ µl; or infections recurring, on average, at least once per 12-month period but less than once every three months per 12-	
month period	30
antibiotics) for control; or requiring inter- mittent use of a myeloid growth factor to maintain ANC greater than or equal to 1500/ul	10
Note: A 100 percent evaluation for bone marrow transplant shall be assigned as of the date of hospital admission and shall continue with a mandatory VA examination six months following hospital discharge. Any change in evaluation based upon that or any subsequent examination shall be subject to the provisions of §3.105(e) of this chapter.	10
<ul> <li>7703 Leukemia (except for chronic myelogenous leukemia):</li> <li>When there is active disease or during a</li> </ul>	
treatment phase	100
Chronic lymphocytic leukemia or monoclonal B-cell lymphocytosis (MBL), asymptomatic, Rai Stage 0	0
Note (1): A 100 percent evaluation shall continue	

the cessation of any surgical therapy, radiation therapy, antineoplastic chemotherapy, or other therapeutic procedures. Six months after discontinuance of such treatment, the appropriate disability rating shall be determined by mandatory VA examination. Any change in evaluation based upon that or any subsequent examination shall be subject to the provisions of §3.105(e) of this chapter. If there has been no recurrence, rate on residuals

Note (2): Evaluate symptomatic chronic lymphocytic leu-kemia that is at Rai Stage I, II, III, or IV the same as any other leukemia evaluated under this diagnostic code

Note (3): Evaluate residuals of leukemia or leukemia therapy under the appropriate diagnostic code(s). Myeloproliferative Disorders: (Diagnostic Codes 7704, 7718, 7719)

		Rating
7704	Polycythemia vera:	
	Requiring peripheral blood or bone marrow stem-cell transplant or chemotherapy (in-	
	cluding myelosuppressants) for the pur-	
	pose of ameliorating the symptom bur-	100
	Requiring phlebotomy 6 or more times per 12-month period or molecularly targeted therapy for the purpose of controlling	
	RBC count	60
	Requiring phlebotomy 4–5 times per 12- month period, or if requiring continuous biologic therapy or myelosuppressive agents, to include interferon, to maintain platelets <200,000 or white blood cells	
	(WBC) <12,000	30
	Requiring phlebotomy 3 or fewer times per 12-month period or if requiring biologic therapy or interferon on an intermittent basis as needed to maintain all blood	
	values at reference range levels	10
	Note (1): Rate complications such as hyper gout, stroke, or thrombotic disease separa	

Note (2): If the condition undergoes leukemic transformation, evaluate as leukemia under diagnostic code 7703

Note (3): A 100 percent evaluation shall be assigned as of the date of hospital admission for peripheral blood or bone marrow stem cell transplant; or during the period of treatment with chemotherapy (including myelosuppressants). Six months following hospital discharge or, in the case of chemotherapy treatment, six months after completion of treatment, the appropriate disability rating shall be determined by mandatory VA examination. Any reduction in evaluation based upon that or any subsequent examination shall be subject to the provisions of §3.105(e) of this

7705 Immune thrombocytopenia:

Requiring chemotherapy for chronic refrac- tory thrombocytopenia; or a platelet count 30,000 or below despite treatment	100
Requiring immunosuppressive therapy; or	
for a platelet count higher than 30,000 but not higher than 50,000, with history	
of hospitalization because of severe	
bleeding requiring intravenous immune	
globulin, high-dose parenteral	
corticosteroids, and platelet transfusions	70
Platelet count higher than 30,000 but not	
higher than 50,000, with either immune	
thrombocytopenia or mild mucous mem-	
brane bleeding which requires oral	
corticosteroid therapy or intravenous im-	30
mune globulin	30
Platelet count higher than 30,000 but not	
higher than 50,000, not requiring treat-	10
ment	10
Platelet count above 50,000 and asymp-	
tomatic; or for immune thrombocytopenia in remission	_
In remission	. 0

Note (1): Separately evaluate splenectomy under diagnostic code 7706 and combine with an eval-uation under this diagnostic code

Note (2): A 100 percent evaluation shall continue beyond the cessation of chemotherapy. Six months after discontinuance of such treatment, the appropriate disability rating shall be determined by mandatory VA examination. Any reduc-tion in evaluation based upon that or any subse-quent examination shall be subject to the provisions of §3.105(e) of this chapter

7706 Splenectomy ..